

VOLVO FMX



TRUX[®]

Always in the frontline

Trux Offroad B14-2



**READ MORE
AT TRUX.EU**

Use your phone
and scan the code

Trux Light-Bar H16-3



Trux Top-Bar G14-2

Trux X-Light K16-4



Trux Top-Bar G14-8



Trux Top-Bar G14-3



PRODUCT RANGE

B14-2

Offroad

Estimated fitting time:
1 hour
Overhang of vehicle:
180 mm
Weight: 24 kg



G14-2

Top-Bar

Fits: FMX-DAY
and FMX-SLP

Estimated fitting time:
1 hour
Weight: 6 kg



G14-3

Top-Bar

Fits: FMX-HSLP

Estimated fitting time:
1 hour
Weight: 5 kg



G14-8

Top-Bar

Fits: FMX-HSLP

Estimated fitting time:
1 hour
Weight: 6 kg



H16-3

Light-Bar

Estimated fitting time:
1 hour
Overhang of vehicle:
135 mm
Weight: 5 kg



K16-4

X-Light

Trucks with
ACC and/or
FLS should
mount extra
lights stand-
ing

Estimated fitting time:
1 hour
Overhang of vehicle:
115 mm
Weight: 7 kg



S-1 S-2

Sideline

Order to size required up
to 2.5 metres per length



-

Roof mounting

Includes Top-Bar, rear
Top-Bar, spacing tube and
catwalk



FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY - EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



PAINTED AND READY

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are - they always protect your trucks fragile parts.

TRUX[®]

Always in the frontline